## **ENCODE DCC Antibody Validation Document**

Date of Submission 9-6	6-12				
Name: Cheryl Keller			Email: cak142	2@psu.edu	
	Lab	Hardison			
Antibody Name: H3K27	7me3		Target: H3k	(27me3	
	Company Source:	Millipore			
Catalog Number, database	1D, laboratory $0$	7-449	Lot N	lumber DAI	M1588246, 1764447, 161288 a
Antibody containing th		.R(me3K)SAP			c 2X-branched peptide ds to trimethyl-lysine at
Histone H3 t Target Description:	rimethylated on	lysine 27			
Species Target	Mouse		Species Host	Rabbit	
Validation Meth	ood #1 Dot Blot		Validation Me	ethod #2	
Purification Property Method	rotein A/G		Polyclonal/ Monoclonal	Polyclonal	
	Vendor URL:	http://www.n	nillipore.com/ca	atalogue/item	7/
ublication KB, Drautz	eng Y, Keller CA, z D, Giardine B, S M, Miller W, Tayl Hardison RC. D	Shibata Y, Song or J, Schuster S	L, Pimkin M, C C, Zhang Y, Cl	Crawford GE, niaromonte F	, Blobel GA,
ease complete the following your specifications are not listed ease write-in the appropriate inf	in the drop-down bo		ations:		
istone Name H3	AA modified	Lysine	AA Pos	ition 27	Modification Methylation

Dr. Brad Bernstein and his colleagues at the Broad Institute have already validated this and several other antibodies directed against specific histone modifications. They spotted synthetic peptides containing one of about 20 histone modifications on a blot, in two different concentrations. The blot was then allowed to react with the antibody, and the antigen-antibody complexes were visualized and quantified. In each case, the antibody showed strong specificity. This is far better than showing a single band on a Western blot, since all the modifications we examine are on histone H3, and they all will show the H3 band. The Western blot will not demonstrate specificity for a particular modification, whereas the dot blot does. The relevant document for H3K27me3 is

Validation #1 Analysis http://hgwdev.cse.ucsc.edu/ENCODE/validation/antibodies/human\_H3K27me3\_validation\_Bernstein.pdf

Our "validation point" for mouse is that there is nothing species-specific about the existing validations. Synthetic peptides were used on the blot, and the assay was for specific reaction with the antibody. The peptides on the blot were not species-specific because HUMAN AND MOUSE HISTONE H3 ARE IDENTICAL IN THE RELEVANT REGIONS. Human and mouse H3 differ at only one position, amino acid 97, where a Cys in human is replaced by a Ser in mouse. There are NO differences in the relevant region, which is the N-terminal 36 amino acids.

Insert Validation Image (click here)								

