ENCODE DCC Antibody Validation Document

Date of Submission 9-6-12	
Name: Cheryl Keller	Email: cak142@psu.edu
Lab	n
Antibody Name: H3K4me1	Target: H3K4me1
Company/ Source:	n
Catalog Number, database ID, laboratory ab8895	Lot Number 706162, 726668 and 961715
Antibody Description: Rabbit polyclonal antibody directed against the polyclonal agai	ainst a synthetic peptide conjugated to KLH derived from within mono methylated at K4
Target Description:	4
Species Target Mouse	Species Host Rabbit
Validation Method #1 Dot Blot	Validation Method #2
Purification Method Affinity	Polyclonal/ Monoclonal
	www.abcam.com/Histone-H3-mono- l-K4-antibody-ChIP-Grade-
KB, Drautz D, Giardine B, Shibata Y, TS, Kellis M, Miller W, Taylor J, Schu	Kumar SA, Mishra T, Morrissey C, Dorman CM, Chen Song L, Pimkin M, Crawford GE, Furey Ister SC, Zhang Y, Chiaromonte F, Blobel GA, If the epigenetic landscape during erythroid
ease complete the following for antibodies to histone nour specifications are not listed in the drop-down box, ase write-in the appropriate information	nodifications:
stone Name H3 AA modified Lysine	AA Position 4 Modification Methylation

Dr. Brad Bernstein and his colleagues at the Broad Institute have already validated this and several other antibodies directed against specific histone modifications. They spotted synthetic peptides containing one of about 20 histone modifications on a blot, in two different concentrations. The blot was then allowed to react with the antibody, and the antigen-antibody complexes were visualized and quantified. In each case, the antibody showed strong specificity. This is far better than showing a single band on a Western blot, since all the modifications we examine are on histone H3, and they all will show the H3 band. The Western blot will not demonstrate specificity for a particular modification, whereas the dot blot does. The relevant document for H3K4me1 is

Validation #1 Analysis http://hgwdev.cse.ucsc.edu/ENCODE/validation/antibodies/human_H3K4me1_validation_Bernstein.pdf

Our "validation point" for mouse is that there is nothing species-specific about the existing validations. Synthetic peptides were used on the blot, and the assay was for specific reaction with the antibody. The peptides on the blot were not species-specific because HUMAN AND MOUSE HISTONE H3 ARE IDENTICAL IN THE RELEVANT REGIONS. Human and mouse H3 differ at only one position, amino acid 97, where a Cys in human is replaced by a Ser in mouse. There are NO differences in the relevant region, which is the N-terminal 36 amino acids.

Insert Validat	ion Image (click here)		
L			

